

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 02/06/25 Supersedes: 01/15/2017

SECTION 1: Identification of the sub	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Alpha Star
Other means of identification	: Alpha Star
1.2. Relevant identified uses of the sul	bstance or mixture and uses advised against
Use of the substance/mixture	: Refractory products, Highway Aggregate
1.3. Details of the supplier of the safet	y data sheet
FX Minerals Processing 257 Kennedy Park Marina Road Newell, WV 26050 (304) 387-1160	
1.4. Emergency telephone number	
Emergency number	: (304) 387-1160 After 5PM weekdays, weekends and holidays: (814) 360-9040
SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
GHS-US classification GHS Classification in accordance with 29	CFR 1910 (OSHA HCS) Not Classified
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	:
	NOT APPLICABLE
Signal word (GHS-US)	: No Signal Word
Hazard statements (GHS-US)	: Not Applicable
Precautionary statements (GHS-US)	:
	NOT APPLICABLE
2.3. Other hazards	
Other hazards not contributing to the classification	: Other constituents in this product are considered nuisance particles or dust. Exposure to dusts or powders may cause mechanical irritation of the respiratory system, eyes, and skin.
2.4. Unknown acute toxicity (GHS-US)	

Unknown acute toxicity (GHS-US)

99.3 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1.	Substance			
Not ap	Not applicable			
3.2.	Mixture			
Name)	Product identifier	%	GHS-US classification
	e um Oxide	Product identifier (CAS No) 1344-28-1	% >90%	GHS-US classification STOT Rep. Exp.1

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
First-aid measures after inhalation	: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.
First-aid measures after skin contact	: Use good hygiene practices including washing of skin with soap and water. If irritation occurs, seek medical attention.
First-aid measures after eye contact	: In case of eye contact, flush eyes with water. If necessary, seek medical attention.
First-aid measures after ingestion	: Not an anticipated route of exposure. If a large amount is swallowed, get medical attention.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/injuries	: There are potential chronic health effects to consider.
Symptoms/injuries after inhalation	: May cause respiratory irritation
Symptoms/injuries after skin contact	: No known significant effects or critical hazards
Symptoms/injuries after eye contact	: May cause eye irritation
Symptoms/injuries after ingestion	: No known significant effects or critical hazards

4.3 Over – Exposure Signs/Symptoms	
Signs/Symptoms eye contact	May cause eye irritation. No chronic effect known
Signs/Symptoms inhalation	Long term exposure to high airborne concentrations may result in inflammation of the small airways and asthma-like symptoms
Signs/Symptoms skin contact	No known significant effects or critical hazards
Signs/Symptoms ingestion	No known significant effects or critical hazards

4.4. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Seek medical care if large quantities have been ingested or inhaled.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Any. Use media appropriate for surrounding fire.
5.2. Special hazards arising from the s	substance or mixture
Fire hazard	: No specific fire or exposed hazard
Reactivity	: Not reactive undernormal use and conditions.
5.3. Advice for firefighters	
Protection during firefighting	: Positive pressure self-contained breathing apparatus (SCBA) and structural firefighters' protective clothing will provide adequate protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accident	al release measures
6.1. Personal precau	tions, protective equipment and emergency procedures
General measures	: Products are naturally occurring earthen materials. No special precautions are known.
6.1.1. For non-emerge	ency personnel
Emergency procedures	: Products are naturally occurring earthen materials. No special precautions are known
6.1.2. For emergency	responders
Protective equipment	: Products are naturally occurring earthen materials. No special precautions are known
Emergency procedures	: Products are naturally occurring earthen materials. No special precautions are known
6.2. Environmental p	precautions
Avoid release to the envir	onment.
6.3. Methods and ma	aterial for containment and cleaning up
For containment	: Do not touch or walk through spilled material.
Methods for cleaning up	: Completely remove dusts to prevent recirculation of nuisance dust. For small spills, clean with a vacuum with a filtration system sufficient to remove and prevent dust recirculation. For lage spills, use a fine spray or mist to control dust creation and carefully scoop or shovel into clean, dry container for later reuse or disposal. DO NOT USE DRY SWEEPING OR COMPRESSED AIR TO CLEAN SPILLS.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wear personal protective equipment in accordance with those recommendations provided in Section 8. Use good hygiene practices and wash hands and face before eating, drinking or conducting personal hygiene. Reduce contamination from clothing and protective equipment before entering eating areas.
Hygiene measures	: Practice good housekeeping. Wash thoroughly after handling. Change contaminated clothing. Do not reuse until laundered.

7.2.	Conditions for safe storage, including any incompatibilities		
Storage conditions : Containers should be stored in room at ambient temperature and pressure. Keep container closed when not in use.		: Containers should be stored in room at ambient temperature and pressure. Keep container closed when not in use.	
7.3.	Specific end use(s)		
Use of th	e substance/mixture	: Refractory products, Highway aggregate	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Calcined Bauxite (1318-16-	7)	
ACGIH	ACGIH TWA (mg/m³)	10 mg/m ³
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (Total dust); 5 mg/m3 (Respirable Fraction)

Aluminum Oxide (1344-28-1)		
ACGIH	ACGIH TWA (mg/m³)	1 mg/m³
OSHA	OSHA PEL (TWA) (mg/m ³)	>= 15 mg/m3/Total
OSHA	OSHA PEL (TWA) (mg/m ³)	>= 5 mg/m3/Resp.
Titanium Dioxide (13463-67-7)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACGIH	ACGIH TWA (mg/m³)	10 mg/m ³
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m³

8.2. Exposure controls

Ingredient comments: Occupational exposure to respirable dust should be monitored and controlled. The product should be handled using methods and techniques that minimize or eliminate dust generation. The product contains less than 1% w/w RCS (respirable crystalline silica) as determined by XRD Methods (NIOSH 7500).

: None required. Polymeric gloves are recommended to prevent irritation. Nitrile construction materials appear to offer the best protection against the ingredients of the product.
: Chemical goggles or safety glasses.
: Under dusty conditions or when excessive skin contact is likely, wear coveralls or other suitable work clothing.
: Wear NIOSH/MSHA approved respirator equipped with particulate cartridges when dusty in poorly ventilated areas, and if exposure limits are exceeded. A respiratory program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
: Avoid all unnecessary exposure.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and o	chemical properties
Physical state	: Solid
Appearance	: Powder.
Color	: Grayish in Color
Odor	: No data available
Odor threshold	: No data available
рН	: 6.5 - 8
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 1648 °C (3000 °F)
Freezing point	: Not applicable
Boiling point	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.9 - 2 (water = 1)
Solubility	: Insoluble Water: Solubility in water of component(s) of the mixture:
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

Not reactive under normal use and conditions.

10.2. Chemical stability

Stable at normal temperatures and pressure.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Avoid generating dust.

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Combustion may produce carbon monoxide and other harmful substances

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Acute toxicity (Oral LD50)	Not relevant
Acute Toxicity (Dermal LD50)	Not relevant
Acute Toxicity (Inhalation	Not Relevant
This substance has no evidence	of carcinogenic properties

Inhalation: May cause irritation in respiratory system from highly concentrated dust

Ingestion: May cause discomfort if swallowed

Skin Contact: May cause discomfort on skin

Eye Contact: Particles in eyes may cause irritation

SECTION 12: Ecological information

12.1. Toxicity

Not expected to be toxic to aquatic organisms.

12.2. Persistence and degradability

No additional information available

12.3. Bio accumulative potential

Bio accumulative potential	This product is not expected to bio accumulate.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming

: No known ecological damage caused by this product.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations

: Dispose of as inert solid in landfill. Dispose of waste material according to Local, State and Federal environmental regulations. Never discharge directly into sewers or surface waters. Slurry may plug drains.

SECTION 14: Transport information

In accordance with DOT not regulated		
for transport		
Additional information		
Other information	: No supplementary information available.	

ADR

No additional information available

Transport by sea No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Chinese Bauxite

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Calcined Bauxite (1318-16-7)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Titanium Dioxide (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA No additional information available

EU-Regulations (EC) No. 453/2010

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H372 - Causes damage to lungs through prolonged or repeated exposure via inhalation

15.2.2. National regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

Titanium Dioxide (13463-67-7)		
U.S.	- New Jersey - Right to Know Hazardous Substance List Aluminum Oxide (CAS 1344-28-1) Titanium Dioxide (CAS 13463-67-7)	
U.S.	- Massachusetts - Right to Know List Aluminum Oxide (CAS 1344-28-1) Titanium Dioxide (CAS 13463-67-7)	
U.S.	- Pennsylvania - Right to Know List Aluminum Oxide (CAS 1344-28-1) Titanium Dioxide (CAS 13463-67-7)	

Revision date	08/25/2015		
Data sources	: ChemADVISOR, Inc.[https://www.chemadvisor.com]. GESTIS DNEL Database [http://dnel- en.itrust.de/nxt/gateway.dll/dnel_en/000000.xml?f=templates\$fn=default.htm\$vid=dneleng:ddb eng\$3.0/].		
Full text of H-phrases:			
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1		
H372	Causes damage to organs through prolonged or repeated exposure		
NFPA health hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.		
NFPA fire hazard	: 0 - Materials that will not burn.		
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.		
HMIS III Rating			
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible		
Flammability	: 0 Minimal Hazard		
Physical	: 0 Minimal Hazard		
Personal Protection	: E		

CALIFORNIA Prop 65 Components: This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm

Although reasonable care has been taken in the preparation of the information contained herein, FX Minerals extends no warranties, makes no representation and assumes no responsibility as to the accuracy of suitability of such information for application to purchaser's intended purposes or for consequences of its use.